



CITY OF NOVI CITY COUNCIL
JULY 26, 2021

SUBJECT: Consideration of approval to purchase a 2022 Ford F-550 Chassis from Signature Ford through the Macomb County cooperative purchasing contract; and upfits of the Dur-A-lift aerial signage truck to be completed by Truck and Trailer Specialties through the City of Rochester Hills RFP contract, in the amount of \$174,771.

SUBMITTING DEPARTMENT: Department of Public Works, Fleet Division

EXPENDITURE REQUIRED	\$ 174,771
AMOUNT BUDGETED	\$ 174,800 (FY 2020-21 Budget Rollover)
APPROPRIATION REQUIRED	\$ 0
LINE ITEM NUMBER	101-442.30-984.034

BACKGROUND INFORMATION:

The current sign truck #635 is a 2008 Ford F-550 with an aerial lift and is used primarily in the installation/repair of traffic signs, special event banners, flags, and streetlights by the DPW Field Operations Division. The existing truck is in poor condition with a rusting frame and hydraulic leaks, and requires excessive maintenance in order to pass annual inspections.

The new truck will be equipped with advanced safety features and tools including a mounted post puller, better storage, and improved overall stability. Specifications for the unit were slow due to COVID and the estimated delivery date is 345 to 405 days since material shortages are still a lingering issue.

RECOMMENDED ACTION: Approval to purchase a 2022 Ford F-550 Chassis from Signature Ford through the Macomb County cooperative purchasing contract; and upfits of the Dur-A-lift aerial signage truck to be completed by Truck and Trailer Specialties through the City of Rochester Hills RFP contract, in the amount of \$174,771.





July 14, 2021

City of Novi
Attn: Mike Rhatigan
45175 W. Ten Mile Road
Novi, MI 48375

Attn: Mike Rhatigan:

Price on 2022 Vehicle State of Michigan Contract# 071B7700180 and Macomb County Contract# 21-18 Bid:

(1) 2022 Ford F550 Regular Cab 4x4 Chassis 84" CA, 169" WB \$36,891.00 ea

Standard Service Contract: 36,000 miles or 36 months factory Bumper to Bumper Warranty and 60,000miles 60 months Powertrain Warranty . Service to be handled by your local Ford Dealer.

Order Cutoff Date: TBD.

Ford Motor Company does not guarantee delivery---Ford Motor Company will make reasonable efforts to schedule orders received prior to fleet order cut-off date.

Payment requirements: All departments to pay on delivery of vehicle. 30-day grace period will be given if previous arrangements have been made. A \$9.50 per day floor plan will be charged if payment is not at the dealership within 30 days of delivery of the vehicle (s).

If you have any questions please call me, 888-92-FLEET (923-5338)

Respectfully Submitted,

Bill Campbell

Bill Campbell
Government & Fleet Sales

2022 F-550 DRW-Chassis Cab Reg. Cab, SuperCab, Crew Cab Major Standard Equipment

MECHANICAL

- Brakes – Four-wheel Disc Brakes; Anti-lock Brake System
- Electronic-Shift-On-the-Fly (ESOF) (4x4 only)
- Engine
 - 7.3L 2V DEVCT NA PFI V8 Gas (F-450/F-550)
- Transmission – Ten-Speed Automatic Transmission with Selectable Drive Modes: Normal, Tow/Haul, Eco & Deep Sand/Snow_

EXTERIOR

- Bumper – front, black painted
- Doors
 - Two (Regular Cab only)
 - Four (SuperCab/Crew Cab only)
- Fender vents – front
- Front License Plate Bracket
- Fuel Tank
 - 40 gallon aft axle (F-350 DRW/F-450/F-550)
- Glass – solar-tinted
- Grille – black painted
- Manual Locking Hubs (4x4)
- Scuff plates – front, color-coordinated
- Splash Guards/Mud Flaps – Front (F-450/550 only)
- "Three Blink" Lane change signal
- Tow hooks – front (2)
- Trailer wiring – 7 wire harness w/relays, blunt cut & labeled
- Tires 225/70R19.5G BSW A/P
- Wheels
 - F-450 & F-550 – 19.5" Argent Painted Steel
 - Manual Locking Hubs (4x4)
- Windshield Wipers – intermittent

INTERIOR/COMFORT

- 2.3" Productivity Screen in IP Cluster Instrumentation Center – Multifunction switch message center display with Ice Blue® Lighting
- 12V Powerpoint, auxiliary
- Air conditioning – single-zone, manual
- Air conditioning vents – black w/chrome ring and knob
- Cabin Air Particulate Filter
- Convenience
 - Coat hooks, LH/RH color-coordinated
 - Dash top tray
 - Dome lamp – LH/RH door activated & I/P switch operated w/delay
 - Handles, grab – driver & front-passenger
 - Handles, roof ride – front-passenger (also over rear-doors on Crew Cab)
 - Map lights – dual (front and rear w/Crew Cab)
 - 12V Powerpoint, auxiliary
- Door-trim – armrest/grab handle and reflector
- Floor covering – black, full length vinyl
- Gauges and Meters – Fuel, Transmission Temperature, EngineCoolant Temperature, Oil Pressure (Gas engine) and Turbo (Diesel engine) Gauges; Speedometer, Odometer and Tachometer
- Headliner – color-coordinated cloth
- Instrument panel – color-coordinated w/dual glove boxes, four (4) air registers w/positive shut-off and powerpoint
- Instrumentation Center
 - 2.3" LCD Productivity Screen in IP Cluster
- Mirror – rearview 11.5" day/night
- Outside Temperature Display

- Seats – Front, HD vinyl, 40/20/40 split bench with center armrest, cupholder and storage (manual lumbar – driver's side), front center-seat w/integrated restraint
- Steering damper
- Steering – power
- Steering wheel – black urethane with tilt and telescoping steering wheel/column; includes three (3) button message control
- Sun visors – color-coordinated vinyl, driver w/pocket, passenger w/uncovered mirror insert with 6 inch overhead
- Upfitter switches – 6 located in Overhead Console
- Window – Rear, fixed

SAFETY/SECURITY

- AdvanceTrac® with RSC® (Roll Stability Control™)
- Airbags
 - Driver and Passenger frontal and side airbag/curtain
 - Passenger side airbag deactivation switch
- Child tethers (Regular Cab front-passenger and all rear-seating positions)
- Headlamps – Quad beam jewel effect halogen
- Lamps – LED Roof marker/clearance
- Mirrors – manually telescoping two-way fold trailer tow with manual glass
- Safety Belts
 - Belt-Minder® (front safety belt reminder) – chime and flashing warning lights on I/P if belts not buckled
 - Color-coordinated safety belts w/height adjustment (frontoutboard seating positions only)
- Safety Canopy® System (incl. side-curtain airbags)
- SecuriLock® Passive Anti-Theft System (PATS)
- SOS Post-Crash Alert System™
- Stationary Elevated Idle Control (SEIC)
- Underhood service light

DRIVER ASSIST

- AutoLamp – Auto On/Off Headlamps
- FordPass™ Connect 4G Wi-Fi Modem
 - 4G LTE Wi-Fi hotspot connects up to 10 devices1
 - Remotely start, lock and unlock vehicle2
 - Schedule specific times to remotely start vehicle2
 - Locate parked vehicle2
 - Check vehicle status2
- SYNC®
 - Enhanced Voice Recognition Communication and Entertainment
 - 911 Assist®
 - 4.2" LCD Center Stack screen
 - AppLink®
 - Smart-Charging USB-C port – one (1)

FUNCTIONAL

- Alternators:
 - 7.3L 2 Valve Gas – 240 AMP
 - 6.7L 4 Valve OHV Power Stroke® V8 Turbo Diesel – 220 AMP
- Audio – AM/FM stereo (four (4) speakers)
- Hood release
- Horn – dual electric
- Intelligent Oil-Life Monitor® (6.7L Power Stroke® Diesel engine)
- Shock absorbers – heavy-duty gas
- Springs, rear auxiliary
- Stabilizer bars – front & rear

18,000# GVWR, 11,500 PAYLOAD Reg. Cab 145 WB, CA 60", 18,000# GVWR, 11,200 PAYLOAD

<input type="checkbox"/>	Base Price (F5G/660a) 4x2	\$32,243.00
<input type="checkbox"/>	Base Price (F5H/660a) 4x4	\$34,792.00

18,000# GVWR, 11,400 PAYLOAD Reg. Cab WB 169, CA 84", 18,000# GVWR, 11,100 PAYLOAD

<input type="checkbox"/>	Base Price (F5G/660a) 4x2	\$32,397.00
<input checked="" type="checkbox"/>	Base Price (F5H/660a) 4x4	\$34,941.00

18,000# GVWR, 11,300 PAYLOAD Reg. Cab 193 WB, CA 108", 18,000# GVWR, 11,000 PAYLOAD

<input type="checkbox"/>	Base Price (F5G/660a) 4x2	\$32,550.00
<input type="checkbox"/>	Base Price (F5H/660a) 4x4	\$35,094.00

18,000# GVWR, 11,100 PAYLOAD Reg. Cab WB 205, CA 120", 18,000# GVWR, 10,700 PAYLOAD

<input type="checkbox"/>	Base Price (F5G/660a) 4x2	\$32,703.00
<input type="checkbox"/>	Base Price (F5H/660a) 4x4	\$35,252.00

18,000# GVWR, 11,100 PAYLOAD SuperCab WB 168, CA 60", 18,000# GVWR, 10,800 PAYLOAD

<input type="checkbox"/>	Base Price (X5G/660a) 4x2	\$34,253.00
<input type="checkbox"/>	Base Price (X5H/660a) 4x4	\$37,324.00

18,000# GVWR, 11,000 PAYLOAD SuperCab WB 192, CA 84", 18,000# GVWR, 10,700 PAYLOAD

<input type="checkbox"/>	Base Price (X5G/660a) 4x2	\$34,406.00
<input type="checkbox"/>	Base Price (X5H/660a) 4x4	\$37,478.00

18,000# GVWR, 10,900 PAYLOAD Crew Cab WB 179, CA 60", 18,000# GVWR, 10,600 PAYLOAD

<input type="checkbox"/>	Base Price (W5G/660a) 4x2	\$35,007.00
<input type="checkbox"/>	Base Price (W5H/660a) 4x4	\$38,078.00

18,000# GVWR, 10,800 PAYLOAD Crew Cab WB 203, CA 84", 18,000# GVWR, 9,900 PAYLOAD

<input type="checkbox"/>	Base Price (W5G/660a) 4x2	\$35,160.00
<input type="checkbox"/>	Base Price (W5H/660a) 4x4	\$38,236.00

<u>Available Standard Options</u>	<u>Option</u>	<u>Price</u> <u>Reg.&Super/CrewCab</u>
<input type="checkbox"/> 6.7L Power Stroke 4V Diesel V8 (B20)/10-Spd Auto.	99T/44G	9,325.00
<input type="checkbox"/> Engine Block Heater	41H	90.00
<input type="checkbox"/> Seats, 40/20/40 Split Bench Cloth	1S	100.00/315.00
<input type="checkbox"/> Seat, Vinyl 40/Mini-Console/40 (Regular Cab only)	LS	355.00
<input type="checkbox"/> Seats, Cloth 40/Mini-Console/40	4S	515.00/615.00
<input type="checkbox"/> LT225/70Rx19.5G BSW Traction, incl. 4-Traction on the rear & 2 A/S tires on the front, Option Spare is A/S	TGM	190.00
<input type="checkbox"/> LT225/70Rx19.5G BSW Max Traction-4x4 only, Continental, Incl. 4-traction tires on the rear & 2 traction tires on the front-	TGK	215.00
<input type="checkbox"/> 6-Ton Hydraulic Jack	61J	55.00
<input type="checkbox"/> Spare Tire & Wheel-Includes 6-ton Hydraulic Jack	512	350.00
<input type="checkbox"/> Stainless Steel Wheel Cover	945	380.00
<input type="checkbox"/> Engine Idle Shutdown (avail. w/6.7L diesel Only) 15-Minutes	86C	250.00
<input type="checkbox"/> Engine Idle Shutdown (avail. w/6.7L diesel Only) 20-Minutes	86D	250.00
<input type="checkbox"/> Operator Commanded Regeneration (OCR) (6.7L Diesel Only)	98R	250.00
<input type="checkbox"/> Rapid-Heat Supplemental Cab Heater (6.7L Diesel Only)	41A	250.00

[]	Transmission Power Take-Off Provision	62R	280.00
[]	Axle, Limited Slip	X4N/X4L/X8L	360.00
[x]	Power Windows, Locks, Heated Mirrors, and Remote Keyless Entry	90L/54K	915.00/1125.00cc
[]	Privacy Glass with Heated Backlight/Rear Window Defrost (Requires Power Equipment 90L/54K)	43B/924	90.00
[]	Utility Lighting System (LED Side-mirror Spotlights Requires Power Equipment Group 90L/54K)	63A	160.00
[]	Speed Control	525	235.00
[]	XL Decor Group (Chrome front bumper)	17F	220.00
[]	XL Value Pkg (Chrome front bumper & Cruise Control)	96V	395.00
[]	Daytime running Lights	942	45.00
[x]	Dual Alternator 397 amp w/Dual Batteries (7.3L Gas Only)	67B/86M	325.00
[]	Dual Alternator 397 amp (6.7L Diesel Only)	67B	115.00
[]	Dual Batteries (78 Amp.) (Gas Engine Only)	86M	210.00
[]	110V/400W Outlet (Includes Dual Alternators 397 amp (67B))	43C/67B	290.00
[x]	Upfitter Interface Module	18A	295.00
[]	Fuel Tank -26.5 Gallon Mid-Ship-Replaces 40 gal. aft-axle tank	65M	125.00
[]	Fuel Tank-Dual Diesel (Adds 26.5 Gal. Mid-Ship to the 40 Gal.Aft.)	65C	625.00
[]	Keys Extra (Regular) \$75.00 x __ =	Sig	75.00 ea
[]	Keys Extra (With Power Group) \$220.00 x __ =	Sig	220.00 ea
[]	Trailer Tow Package High Capacity- Req.6.7L Diesel & 4.30 LS Rear Axle , has after market trailer brake wiring kit, No brake controller included, Increases GCWR on diesel engine from 26,000# to 28,000#	535	1,080.00
[]	Payload Upgrade Package (7.3L V8 & 145" WB Only, Inc. 4.88 LS Axle, Increases GVWR from 18,000# to 19,000#)	68U	1175.00
[]	Payload Plus Upgrade Package(N/A w 145"WB w/Gas Engine, Inc. 4.88 LS Axle, Increases GVWR from 18,000# to 19,500#)	68M	1515.00
[]	Low Deflection Package-recommended for rear-biased loading, such as wreckers/retriever application, N/A with 141" WB	86S	110.00
[]	Integrated Trailer Brake Controller	52B	270.00
[]	Cab Steps-Black Molded	18B	320.00/445.00
[]	Extra HD Front End Suspension – GAWR 7,500 lbs	67P	285.00
[]	Extra Heavy Suspension Package(N/A 67H or 473)	67X	125.00
[]	Suspension Package, Heavy Service(N/A 67X or 473)	67H	125.00
[]	Snow Plow Prep Package (7.3L Gas Engine) (Includes Dual Batteries (86M), and Dual Alternators 397 amp (67B). Not Available w/Option Codes 67H or 67X Suspension Packages)	473/86M/67B	575.00
[]	Snow Plow Prep Package (6.7L Diesel Engine)	473	250.00
[]	Exterior Back up Alarm	76C	140.00
[x]	Rearview Camera Prep Kit for Box Delete (Includes Loose Camera and Wiring Bundle)	872	415.00
[]	360-Degree Dual Beacon LED Warning Strobes-Amber	91S	675.00
[]	Wheel Well Liners, Front	61L	180.00
[]	Ambulance Prep Package(6.7L Diesel Engine Only)	47A	1205.00
[]	Audible Lane Departure Warning with Pre-Collision Assist with Automatic Emergency Braking and Forward Collision Warning	60C/94P	230.00

Total Price \$36,891.00 ea

Colors for F-550

<u>Exterior Colors</u>	<u>Interior Steel (Grey)</u>	
Race Red	[PQ]	[x]
Antimatter Blue Metallic	[HX]	[]
Iconic Silver Metallic	[JS]	[]
Agate Black	[UM]	[]
Oxford White	[Z1]	[]
Carbonized Gray Metallic	[M7]	[]
Stone Gray	[D1]	[]
Atlas Blue Metallic	[B3]	[]
SPECIAL PAINT		
School Bus Yellow Add \$660.00	[BY]	[]
Omaha Orange Add \$660.00	[MB]	[]
Green Gem Add \$660.00	[W6]	[]

TRUCK & TRAILER *Specialties, Inc.*

900 Grand Oaks Drive | Howell, MI 48843 | www.ttspec.com | ph: (517) 552-3855 | fx: (517) 552-3666

July 7, 2021

City of Novi
45175 Ten Mile Road, Novi, MI 48375-3024
Attn: Mike Rhatigan, Fleet Asset Manager, ph: (248) 962-8624
HQ0002694

Equipment Quotation

The following pricing will be based on City of Rochester Hills RFP-RH-20-023 contract awarded September 2020

Chassis information:

Ford F-550, Chassis Cab, Reg. Cab, 84" CA, 4x4, DRW, Gasoline, upfitter switches, amber/green hood LED flashers, dual alternators & rearview camera kit

Install **Monroe Custom Body including the following:**

Model SB 126 M 5320H Service Body
126" body length, 48" high compartments, 20" deep compartments
53.5" load floor width, 31.5" load floor to top of compartment height
Body construction is 14 ga. galvanized steel, beveled edges, radius corners
Drain holes in bottoms of all compartments
Compartment tops are smooth 12 ga. galvanized
Load-space walls are smooth 14 ga. galvanized
Bulkhead is 14 ga. galvanized construction
Wheel-well panels are 12 ga. galvanized with rubber fenders
Floor is 12 ga. galvanized treadplate floor
Underframe has 6" structural channel crossmembers
Channel mount frame fillers
Double-panel 14 ga. outer/18 ga. inner galvanized steel body doors, hidden-hinge design & gaskets
Air-assist hold open/restraints on vertical doors
Single-point stainless steel rotary-slam paddle latches
Exterior of body and interior of compartments, primer, standard epoxy, White
Aluminum stone guards on the front bottom corners of the body bulkhead

Streetside Compartments:

First Vertical: 26" wide, 48" high, 20" deep
Includes (1) fixed shelf
Includes (1) adjustable shelf
Inverter and docking station mounting on top shelf
Second Vertical: 22" wide, 48" high, 20" deep
Includes (2) adjustable shelves
Horizontal: 54" wide, 24" high, 20" deep
Double vertical lapping doors
Includes (1) fixed divider tray, centered
Rear Vertical: 24" wide, 48" high, 20" deep
Includes Ox/Ac Bracket for two (2) bottles (mo. 045-MD01)
Two (2) vents located one high & one low on back wall
Includes (1) fixed hook on front wall (for goggles)

Curbside Compartments:

First Vertical: 26" wide, 65" high, 27" deep above floor line, 20" deep bottom

TRUCK & TRAILER *Specialties, Inc.*

900 Grand Oaks Drive | Howell, MI 48843 | www.ttspec.com | ph: (517) 552-3855 | fx: (517) 552-3666

Grip-strut material across top of compartment
Foot step and one (1) grab handle on cargo area side of compartment

Compartment Sign Poly Dividers:

Size of signs:

12x12, 12x18, 12x24, 12x36, 12x42, 12x48

8x30, 8x36, 8x42, 8x48

24x24, 24x30

Signs needed at time of install

Second Vertical: 22" wide

Side entry access step, gripstrut

One (1) grab handle

One (1) drop-step below entryway

Horizontal: 54" wide, 36" high, 20" deep

Double, vertical lapping doors

Vertical partition, 30" from front of compartment

Front section includes (2) adjustable shelves on top

Includes (1) fixed shelf on top of drawer cabinet

Front section includes 2-drawer cabinet, 6" pull-out drawers on bottom

Rear section includes (1) fixed shelf mounted 12" above the lower fixed shelf

Includes (1) fixed shelf on top of cabinet with 6" tall dividers, 4" on center

Rear section includes 2-drawer cabinet, 6" pull-out drawers on bottom

Drawer cabinets to have removable/adjustable egg crate dividers

Grip-strut material across top of compartment

Foot step and one (1) grab handle on cargo area side of compartment

Rear Vertical: 24" wide, 60" high, 20" deep

Includes Reelcraft hose reel (mo. TWH76050 OLPT) dual Oxy/Acetylene hose 3/8" x 50'
and front bevel crank

Includes 4-drawer cabinet, 6" pull-out drawers on bottom, 17" deep, 32" high OD

Includes (1) fixed shelf above drawer cabinet

Grip-strut material across top of compartment

Two (2) Ladder Rack brackets (mo. Type BP) mounted on cargo area wall, streetside

Floor Extension/Work Bench, 28" depth x full-width of body, 18" high, for shovel storage

Includes thru-box with vertical doors, one each side, single-point stainless steel slam-action latches

Bumper, gripstrut 9" x full-width

Master-locking compartments on both sides

Wheel chock holders, one curbside aft of axle, one streetside forward of axle

Top Open Box, 132" L x 10" H x 20" D, mounted on top streetside compartments with loadspace access

14 ga. const., hasp latch, grab handle, piano-hinged, air-assist hold-open

1" spacers bottom & drain holes

Includes rear-access, drop-down door

Cargo Area Sign holder, 32" L x 38" H x 6" D, sizes of signs: 30x30 & 30x36, location based on inspection

Mounted on streetside in cargo area at rear

Poly sign dividers inside, open design type, no box

Install Central Hydraulic System including the following:

Muncie PTO with direct-mount gear pump.

Ball valve shut-off on supply line

System is safety protected from operating unless the outriggers are deployed

Install Rexroth 2m4-12 Control Valve with the following sections:

Bucket (8 GPM) 4way on/off coils

TRUCK & TRAILER *Specialties, Inc.*

900 Grand Oaks Drive | Howell, MI 48843 | www.ttspec.com | ph: (517) 552-3855 | fx: (517) 552-3666

- Post Puller (4 GPM) on/off coil
- Open center lateral inlet (2,500 PSI)
- Install Dur-A-Lift Aerial Lift including the following:**
 - Model DPM-36 SP (Single Person), telescoping articulating personnel aerial lift
 - Specifications:**
 - Height to bottom of platform: 36'
 - Working height: 41'
 - Side reach (end hung): 29'6"
 - Stowed travel height: 10'6"
 - Open-Aluminum basket, 24" x 30" door facing front in stored position
 - Basket capacity: 400#
 - Approximate weight: 3,700#
 - Articulating arm travel: 0 to 75
 - Main boom travel: -30 to 75
 - Extension travel: 120"
 - Additional Features:**
 - 50" tall pedestal
 - 25-gal mild steel hydraulic tank with tank-mounted filter, mounted in pedestal
 - A-frame mid-mount outriggers with single outrigger interlock
 - DC Backup System with high-speed pump
 - Pistol-grip controls
 - Proportional controls
 - Lower override controls
 - Engine start/stop from the basket
 - Basket access from the ground
 - Compensated upper boom
 - Hydraulic basket leveling
 - 180° basket rotator
 - Continuous rotation
 - Joystick and lockout controls
 - Tool circuit at basket for post pounder
 - Inclinometer
 - Plastic switch labels in bucket, to prevent label fading
 - Install rubber bumpers mounted bottom side of basket; lower profile requested
 - Install tool bag/basket/tray on basket (6" deep/8" deep x 12' wide, 2 section)
 - Engine start and stop at basket, extra switch for tool circuit on/throttle advance
- Install Wilton 6" vise model (mo. 21500A) at rear curbside**
- Install Sensata Compact Pure Sine Wave Power Inverter including the following:**
 - Model CSW2012 12-volt mounted in streetside first vertical compartment, top shelf
 - Include docking station for hand tool batteries
 - Continuous 2000-watts with peak surge power at 4000-watts
 - Includes USB port and GFCI AC outlet
 - Includes outdoor-rated extension cord 50' reel with outlet for inverter, rear curbside on platform
- Install Diversified Products/Bemis Regular-Duty Post Puller including the following:**
 - Model PPF-203
 - 10,000 lbs pulling capacity- cylinder is 2.5" bore x 12" stroke
 - 91.5" side reach
 - Unit includes a jaw set for clamping to posts (2 & 3 lb clevis)
 - Unit installed on a Boss mounting bracket (mo. LTA10200) in order to attach to the subframe on the truck

TRUCK & TRAILER *Specialties, Inc.*

900 Grand Oaks Drive | Howell, MI 48843 | www.ttspec.com | ph: (517) 552-3855 | fx: (517) 552-3666

A trailer type jack will be mounted on the front of the post puller cross tube in order to rotate the hitch mount into the subframe

Hydraulics will be run off the chassis central hydraulic system

Stainless steel hydraulic couplers are included

Install GreenLee Hydraulic Sign Post Driver including the following:

Mounted to basket, including carabiner and 2nd chain for safety

Will drive posts of almost any configuration, including "U" channel, round, square & T-post

Accessory adapters for #2, #3, and #4 lb./ft. "U" channel signpost

Install inverted "T" mount post driver stand in cargo area for additional gas-powered driver

Install Custom Lighting & Electrical including the following:

Utilize chassis switches for warning & work lighting

Two (2) SoundOff LED (mo. ELB45BCHOPC) amber/green 6" beacon strobes at front corners of body

Four (4) SoundOff mPower (mo. EMPC2SMS4) amber/green LED flashers surfaced-mounted:

Two (2) mounted at the top rear corners of body

Two (2) mounted one each side of the body, above wheel wells

One (1) SoundOff TrafficMaster (mo. ETT3MLED-P) 42" mounted, rear-facing at top of work bench

Four (4) round lights recessed into rear of work bench, two on each side including:

Two (2) LED stop, turn & taillights in outer cut-outs

Two (2) LED backup lights in inner cut-outs

Remount factory camera and wiring at rear

Install Spray-on bedliner on load-space floor, front, 6" up sidewalls, steps & bumper top

Install Cone Holder at rear on driverside

Install Fire Extinguisher in cab behind seat, curbside

Install Luverne serrated grip-step foot rails for Reg Cab on both sides (mos. 415060 & 401721)

Install WeatherTech Floor Liners, Black (mo. 4410541V)

Paint Body to be painted one-color Red to match cab, paint code at order entry

Above installed & painted pricing: \$136,765.00 ea.

HQO002711

Option Install Maxxima LED strip lighting inside all compartments on sides and across the top

Option add: \$1,115.00 ea.

Minimum full one-year warranty on parts and labor on all equipment.

Payment Terms: Net 30 days. Pricing effective for 30 days.

Pricing does not include any of the Rochester Hills RFQ discounts that may be applicable.

2% discount off total taken at invoice if payment received within 30 days.

FOB: City of Novi

Delivery: 345-405 for Duralift mount, plus 6-8 weeks for T and T install

Thank you for the opportunity to quote.

Respectfully submitted by,
Jon Luea/Brian Bouwman